



CNC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s): Bergmann et al. Application No.: 10/511,756
Patent No.: 7,413,850 File Date: May 25, 2005
Issue Date: August 19, 2008 Docket No.: 2582.017

Title: USES OF CARBAMOYL PHOSPHATE SYNTHETASE FOR
THE DIAGNOSIS OF INFLAMMATORY DISEASES AND
SEPSIS

To: Attention: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION – OFFICE MISTAKE

Dear Sir:

Upon proofreading the sealed patent, the patentee noticed errors in the printed patent due to a mistake by the U.S. Patent and Trademark Office. In accordance with 35 U.S.C. §254, patentee requests a Certificate of Correction.

Enclosed herewith is a proposed Certificate of Correction incorporating an amendment to correct the errors.

The patentee respectfully requests the granting of a Certificate of Correction.

Certificate

OCT 10 2008

Correction

Respectfully submitted,

Kathy Smith Dias
Attorney for Patentee
Registration No.: 41,707

HESLIN ROTHENBERG FARLEY & MESITI P.C.
5 Columbia Circle
Albany, New York 12203-5160
Telephone: (518) 452-5600
Facsimile: (518) 452-5579

RECEIVED
Certificate
OCT 10 2008
of Correction

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,413,850

Page 1 of 1

APPLICATION NO. : 10/511,756

ISSUE DATE : August 19, 2008

INVENTOR(S) : Bergmann et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, Item (54)**In The Title:**

Delete "FOR THE DIAGNOIS OF" and insert -- FOR THE DIAGNOSIS OF --

In The Claims:

Claim 2, Col. 25, Line 32: Delete "comprising detennining" and insert -- comprising determining --

Claim 2, Col. 25, Line 37: Delete " fragments of human" and insert -- (b) fragments of human --

Claim 2, Col. 25, Line 40: Delete "gel electrophoresis." and insert -- gel electrophoresis, wherein an elevated concentration of human CPS 1, or said fragments or components thereof, in indicative of sepsis. --

MAILING ADDRESS OF SENDER (Please do not use customer number below):

HESLIN ROTHENBEG FARLEY & MESITI P.C.

5 Columbia Circle

Albany, New York 12203-5160

Telephone (518) 452-5600 facsimile (518) 452-5579

OCT 10 2008

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.